

## Data Sheet seaCHIRP2D (Single Beam)

Two Projector versions are available: Standard and Power+ (where not specified, features are identical for either projector)

## **Technical Specifications**

	Signal / Frequency Range	Duration	Shot Interval	Sampling
Projector: Standard	CHIRP / 0.4 - 8 kHz	5 - 50 ms	75 - 200 ms	32 kHz
Projector: Power+	CHIRP / 0.5 - 10 kHz	5 - 50 ms	75 - 200 ms	32 kHz
				1
	Electric Power	Amp	lifier	
	100/240 V	water resistant / shoc	k & vibration resistant	
Projector: Standard	2 kW	2 kW		
Projector: Power+	2.5 kW	2.5 kW		
				-
Acquisition System	Operating System	Format of Output Data	I/O	
2 core processor	Windows 10	SEG-Y rev1 (modified)	Ethernet	
24 bits CAN/NA		Text files	RS232	
118 dB dynamic			2 USB	
shock & vibration resistant				

## **Operating Specifications & Performances**

	Vertical Resolution (full frequency range)	Transversal Resolution	seaCHIRP Beamwidth
Projector: Standard	9 cm @ 1 500 m/s	0.35 x target depth	20°
Projector: Power+	7 cm @ 1 500 m/s	0.26 x target depth	15°

Max. Longitudinal Resolution (after SAS processing)	Penetration (full frequency range)
50 cm	15 m in sand*

\*Indicative detection limit of a rocky basement under a homogeneous layer of sand (1 dB/ $\lambda$  attenuation).

Water Column	Max. Survey Operating Speed (instantaneous speed)	Max. Speed not to be exceeded in Water (equipment mechanical limit)	
3 - 50 m	5 knots	7 knots	

## **Equipment Specifications**

	Caged Projector Size (LxWxH in mm)	seaWING Antenna (L in mm)	Frame Dimensions (LxWxH in mm)
Projector: Standard	420 x 420 x 420	1 500	1400 x1100 x 1400
Projector: Power+	580 x 400 x 400	1 500	1 400 x 1 100 x 1 400

Weight in air of subsea equipment (acoustic transmitter, hydrophone array, frame)	Weight in air of surface equipment (power amplifier, acquisition box)	
≈ 90 kg with Standard projector	≈ 45 kg	
≈ 100 kg with Power+ projector	≈ 45 kg	

Ref. 17-SOAC-seaCHIRP3D-I-SPEC-01 June 2017

SOACSY S.A.S.

1, rue Nicolas Copernic - BP 62074 - 13646 Arles Cedex (France) Tel. +33 4 90 49 06 91 | Email : soacsy@soacsy.com | Web : www.soacsy.com SIRET 449 927 888 00031 - TVA FR 61 449 927 888

This document is the property of SOACSY S.A.S. It may not be reproduced or disclosed to third parties without written permission